

REHABILITATION PROTOCOL: ARTHROSCOPIC MENISCUS REPAIR

	Phase I (Weeks 0-8) • Weighthearing: Touchdown weighthe	earing (20-30% of body weight max)		
Name	• Weightbearing: Touchdown weightbearing (20-30% of body weight max) for 6-8 weeks – No Bracing Required			
	• Range of Motion – Continuous Passive Motion (CPM) Machine for 6-8			
	hours per day for 6-8 weeks	,		
Diagnosis		– starting at level of flexion that is		
	comfortable	-		
	o Advance 10° per day until full f	flexion is achieved		
	o Passive Range of Motion and st	retching under guidance of PT		
	Therapeutic Exercises			
	o Quadriceps/Hamstring isometric	cs		
Diagnosis	o Heel slides			
	Phase II (Weeks 8-12)			
	• Weightbearing: Advance to full weig	htbearing as tolerated discontinue		
Date of Surgery	crutch use			
	 Range of Motion – Advance to full/painless ROM 			
	• Therapeutic Exercises			
	o Closed chain extension exercises			
	o Hamstring curls			
	o Toe raises			
	o Balance exercises o Begin use of the stationary bicycle/elliptical Phase III (Months 3-6) • Weightbearing: Full weightbearing • Range of Motion – Full/Painless ROM • Therapeutic Exercises o Advance closed chain strengthening exercises, proprioception activi-			
			ties	
			 o Sport-specific rehabilitation • Gradual return to athletic activity as tolerated – including jumping/cutting/pivoting sports • Maintenance program for strength and endurance 	
	Comments:			
	Frequency: times per week	Duration: weeks		
	Signature:	Date:		

Phone: 949 / 491 - 9991 FAX: 949 / 612 - 9795 www.NewportCare.org